

Basic Drain



Basic Drain

Your benefits


- Drain body with internally pitched trough
- Cleanable siphon
- Pre-assembled sealing
- The shower drain can be placed free in the floor or mounted at the wall



Length	Article code
500 mm	BD-50-FL
600 mm	BD-60-FL
700 mm	BD-70-FL
800 mm	BD-80-FL
900 mm	BD-90-FL
1000 mm	BD-100-FL
1100 mm	BD-110-FL
1200 mm	BD-120-FL

The Basic Drain package contains a complete product which includes a drain body, a drain with a height adjustable support and a waterproof pre-assembled membrane.


- Height adjustable support with sound isolation
- Complete product set




Basic Drain Zero

Length	Article code
500 mm	BD-50-Z
600 mm	BD-60-Z
700 mm	BD-70-Z
800 mm	BD-80-Z
900 mm	BD-90-Z
1000 mm	BD-100-Z
1100 mm	BD-110-Z
1200 mm	BD-120-Z

Technical description:



- Water seal: 50 mm according to DIN EN 1253
- Drain width: 72 mm
- Overall Depth: 93 mm
- Coupling dimension: DN 50
- Drain body: Stainless Steel
- Siphon: ABS, high impact resistant
- Siphon: cleanable
- Sealing: pre-assembled
- Drainage capacity: DIN EN 1253
- Assembly: free in the floor or mounted at the wall
- Drainage capacity: 36 l/min





MANUFACTURER
Easy Sanitary Solutions
Nijverheidsstraat 60, 7575 BK Oldenzaal, The Netherlands
info@esspost.com www.easydrain.eu / www.easydrain.com
ESS PRODUCTS ARE PATENTED AND REGISTERED TRADEMARKS MADE BY ESS

