


Easy Drain®

BASIC DRAIN



Free in the floor
or wall-mounted

Easy Drain Basic Drain is perfect for every type of bathroom. Basic Drain comes standard with an easy-to-clean siphon and offers outstanding drainage capacity. This shower drain is supplied as complete product and can be placed free in the floor or mounted close to the wall.





Specifications




General

Dimensions:	500, 600, 700, 800, 900, 1000, 1100, 1200 mm
Grate:	Tileable or stainless steel
Certification:	EN 1253*, ETAG - 022
Siphon:	Removable and cleanable
Product unit:	Complete set, grate included

Technical details

Water seal:	50 mm
Capacity:	36 l/min (50 mm)
Installation depth	67 mm (30 mm), 92 mm (50 mm)
Total installation height	79 mm (30 mm), 106 mm (50 mm)
Pre-assembled sealing membrane (WPS)	10 years warranty
Tile grate insert**:	12 mm
Connection	Horizontal

Installation options



* with water seal 50 mm
 ** Tile shown is not included.

Waterproofing and other accessories



Wet area - Seal system
 see 'Easy Seal'





10
 YEAR
 WARRANTY

BASIC DRAIN

Zero, Water seal 30 mm, Installation depth 67 mm, total installation height 79 mm

Length	Article code
500 mm	BD-50-Z-28
600 mm	BD-60-Z-28
700 mm	BD-70-Z-28
800 mm	BD-80-Z-28
900 mm	BD-90-Z-28
1000 mm	BD-100-Z-28
1100 mm	BD-110-Z-28
1200 mm	BD-120-Z-28




Tile, Water seal 30 mm, Installation depth 67 mm, total installation height 79 mm

Length	Article code
500 mm	BD-50-FL-28
600 mm	BD-50-FL-28
700 mm	BD-50-FL-28
800 mm	BD-80-FL-28
900 mm	BD-90-FL-28
1000 mm	BD-100-FL-28
1100 mm	BD-110-FL-28
1200 mm	BD-120-FL-28





Tile shown is not included.



BASIC DRAIN

Zero, Water seal 50 mm, Installation depth 92 mm, total installation height 106 mm

Length	Article code
500 mm	BD-50-Z
600 mm	BD-60-Z
700 mm	BD-70-Z
800 mm	BD-80-Z
900 mm	BD-90-Z
1000 mm	BD-100-Z
1100 mm	BD-110-Z
1200 mm	BD-120-Z




Tile, Water seal 50 mm, Installation depth 100 mm, total installation height 107 - 118 mm

Length	Article code
500 mm	BD-50-FL
600 mm	BD-50-FL
700 mm	BD-50-FL
800 mm	BD-80-FL
900 mm	BD-90-FL
1000 mm	BD-100-FL
1100 mm	BD-110-FL
1200 mm	BD-120-FL




Tile shown is not included.








Specifications



Installation options



General

Dimensions:	500, 600, 700, 800, 900, 1000, 1100, 1200 mm
Grate:	Reversible, Tileable or stainless steel
Certification:	EN 1253*, ETAG - 022
Siphon:	Removable and cleanable
Product unit:	Complete set, grate included

Technical details

Water seal:	50 mm
Capacity (wall installation):	36 l/min
Capacity (free in the floor):	31 l/min
Pre-assembled sealing membrane (WPS)	10 years warranty
Installation depth	68 mm, 100 mm
Total installation height	75 mm, 107 mm
Tile thickness	7, 9, 11, 13, 17 and 19 mm
Pre-assembled sealing membrane (WPS)	10 years warranty
Available tile depth**:	12 mm
Connection	Horizontal



* with water seal 50 mm

** Tile shown is not included.

BASIC DRAIN STEPS

Zero / Tile, Water seal 28 mm, Installation depth 68 mm, total installation height 86 mm

Length	Article code
500 mm	BD-50-STEPS-28
600 mm	BD-60-STEPS-28
700 mm	BD-70-STEPS-28
800 mm	BD-80-STEPS-28
900 mm	BD-90-STEPS-28
1000 mm	BD-100-STEPS-28
1100 mm	BD-110-STEPS-28
1200 mm	BD-120-STEPS-28



Zero / Tile, Water seal 50 mm, Installation depth 100 mm, total installation height 107 - 118 mm

Length	Article code
500 mm	BD-50-STEPS
600 mm	BD-60-STEPS
700 mm	BD-70-STEPS
800 mm	BD-80-STEPS
900 mm	BD-90-STEPS
1000 mm	BD-100-STEPS
1100 mm	BD-110-STEPS
1200 mm	BD-120-STEPS

