



EUROPIPE HINNAKIRI 2019

Hinnad ei sisalda käibemaksu

Artikli nr. Toode Hind EUR



Artikli nr.	Toode	Hind EUR
811.015.040	TORU, L: 150MM, Ø40	6,06
811.015.040 S	TORU, L: 150MM, Ø40	8,05
811.015.050	TORU, L: 150MM, Ø50	7,13
811.015.050 S	TORU, L: 150MM, Ø50	9,49
811.015.075	TORU, L: 150MM, Ø75	10,66
811.015.075 S	TORU, L: 150MM, Ø75	13,86
811.015.110	TORU, L: 150MM, Ø110	14,76
811.015.110 S	TORU, L: 150MM, Ø110	19,34
811.015.125	TORU, L: 150MM, Ø125	26,57
811.015.125 S	TORU, L: 150MM, Ø125	31,53
811.015.160	TORU, L: 150MM, Ø160	26,57
811.015.160 S	TORU, L: 150MM, Ø160	35,1
811.015.200	TORU, L: 150MM, Ø200	49,25
811.015.200 S	TORU, L: 150MM, Ø200	65,07
811.025.040	TORU, L: 250MM, Ø40	7,21
811.025.040 S	TORU, L: 250MM, Ø40	9,49
811.025.050	TORU, L: 250MM, Ø50	8,49
811.025.050 S	TORU, L: 250MM, Ø50	11,15
811.025.075	TORU, L: 250MM, Ø75	12,3
811.025.075 S	TORU, L: 250MM, Ø75	16,26
811.025.110	TORU, L: 250MM, Ø110	17,27
811.025.110 S	TORU, L: 250MM, Ø110	22,86
811.025.125	TORU, L: 250MM, Ø125	30,58
811.025.125 S	TORU, L: 250MM, Ø125	32,01
811.025.160	TORU, L: 250MM, Ø160	30,58
811.025.160 S	TORU, L: 250MM, Ø160	40,58
811.025.200	TORU, L: 250MM, Ø200	49,25
811.025.200 S	TORU, L: 250MM, Ø200	65,07
811.050.040	TORU, L: 500MM, Ø40	11,01
811.050.040 S	TORU, L: 500MM, Ø40	14,73
811.050.050	TORU, L: 500MM, Ø50	12,97
811.050.050 S	TORU, L: 500MM, Ø50	17,36
811.050.075	TORU, L: 500MM, Ø75	18,94
811.050.075 S	TORU, L: 500MM, Ø75	25,05

MUHV TORU



BLÜCHER®

811.050.110	TORU, L: 500MM, Ø110	26,57
811.050.110 S	TORU, L: 500MM, Ø110	35,10
811.050.125	TORU, L: 500MM, Ø125	37,21
811.050.125 S	TORU, L: 500MM, Ø125	49,18
811.050.160	TORU, L: 500MM, Ø160	47,31
811.050.160 S	TORU, L: 500MM, Ø160	62,73
811.050.200	TORU, L: 500MM, Ø200	67,97
811.050.200 S	TORU, L: 500MM, Ø200	89,83
811.050.250	TORU, L: 500MM, Ø250	115,08
811.050.250 S	TORU, L: 500MM, Ø250	162,66
811.050.315 S	TORU, L: 500MM, Ø315MM	325,32
811.075.040	TORU, L: 750MM, Ø40	14,71
811.075.040 S	TORU, L: 750MM, Ø40	19,41
811.075.050	TORU, L: 750MM, Ø50	17,27
811.075.050 S	TORU, L: 750MM, Ø50	22,86
811.075.075	TORU, L: 750MM, Ø75	24,75
811.075.075 S	TORU, L: 750MM, Ø75	32,72
811.075.110	TORU, L: 750MM, Ø110	34,88
811.075.110 S	TORU, L: 750MM, Ø110	46,04
811.075.125	TORU, L: 750MM, Ø125	48,82
811.075.125 S	TORU, L: 750MM, Ø125	64,54
811.075.160	TORU, L: 750MM, Ø160	62,92
811.075.160 S	TORU, L: 750MM, Ø160	83,05
811.075.200	TORU, L: 750MM, Ø200	112,22
811.075.200 S	TORU, L: 750MM, Ø200	148,26
811.100.040	TORU, L: 1000MM, Ø40	18,20
811.100.040 S	TORU, L: 1000MM, Ø40	24,09
811.100.050	TORU, L: 1000MM, Ø50	21,41
811.100.050 S	TORU, L: 1000MM, Ø50	28,34
811.100.075	TORU, L: 1000MM, Ø75	31,21
811.100.075 S	TORU, L: 1000MM, Ø75	41,15
811.100.110	TORU, L: 1000MM, Ø110	43,65
811.100.110 S	TORU, L: 1000MM, Ø110	57,57
811.100.125	TORU, L: 1000MM, Ø125	61,10
811.100.125 S	TORU, L: 1000MM, Ø125	80,82
811.100.160	TORU, L: 1000MM, Ø160	78,03
811.100.160 S	TORU, L: 1000MM, Ø160	102,94
811.100.200	TORU, L: 1000MM, Ø200	112,22

MUHV TORU



BLÜCHER®

811.100.200 S	TORU, L: 1000MM, Ø200	148,26
811.100.250	TORU, L: 1000MM, Ø250	185,10
811.100.250 S	TORU, L: 1000MM, Ø250	274,09
811.100.315 S	TORU, L: 1000MM, Ø315MM	548,19
811.150.040	TORU, L: 1500MM, Ø40	25,68
811.150.040 S	TORU, L: 1500MM, Ø40	33,85
811.150.050	TORU, L: 1500MM, Ø50	30,20
811.150.050 S	TORU, L: 1500MM, Ø50	39,87
811.150.075	TORU, L: 1500MM, Ø75	43,65
811.150.075 S	TORU, L: 1500MM, Ø75	57,57
811.150.110	TORU, L: 1500MM, Ø110	61,27
811.150.110 S	TORU, L: 1500MM, Ø110	81,03
811.150.125	TORU, L: 1500MM, Ø125	87,10
811.150.125 S	TORU, L: 1500MM, Ø125	115,12
811.150.160	TORU, L: 1500MM, Ø160	110,24
811.150.160 S	TORU, L: 1500MM, Ø160	145,76
811.200.040	TORU, L: 2000MM, Ø40	32,45
811.200.040 S	TORU, L: 2000MM, Ø40	42,87
811.200.050	TORU, L: 2000MM, Ø50	38,16
811.200.050 S	TORU, L: 2000MM, Ø50	50,44
811.200.075	TORU, L: 2000MM, Ø75	55,48
811.200.075 S	TORU, L: 2000MM, Ø75	73,14
811.200.110	TORU, L: 2000MM, Ø110	77,73
811.200.110 S	TORU, L: 2000MM, Ø110	102,42
811.200.125	TORU, L: 2000MM, Ø125	108,72
811.200.125 S	TORU, L: 2000MM, Ø125	143,73
811.200.160	TORU, L: 2000MM, Ø160	139,66
811.200.160 S	TORU, L: 2000MM, Ø160	184,33
811.200.200	TORU, L: 2000MM, Ø200	201,66
811.200.200 S	TORU, L: 2000MM, Ø200	266,57
811.200.250	TORU, L: 2000MM, Ø250	292,48
811.200.250 S	TORU, L: 2000MM, Ø250	467,50
811.200.315 S	TORU, L: 1867MM, Ø315MM	934,98
811.300.040	TORU, L: 3000MM, Ø40	47,13
811.300.040 S	TORU, L: 3000MM, Ø40	62,17
811.300.050	TORU, L: 3000MM, Ø50	55,48
811.300.050 S	TORU, L: 3000MM, Ø50	73,14
811.300.075	TORU, L: 3000MM, Ø75	80,01
811.300.075 S	TORU, L: 3000MM, Ø75	105,84
811.300.110	TORU, L: 3000MM, Ø110	112,41
811.300.110 S	TORU, L: 3000MM, Ø110	148,48
811.300.125	TORU, L: 3000MM, Ø125	157,42

MUHV TORU



BLÜCHER®

811.300.125 S	TORU, L: 3000MM, Ø125	207,92
811.300.160	TORU, L: 3000MM, Ø160	202,40
811.300.160 S	TORU, L: 3000MM, Ø160	267,56
811.300.200	TORU, L: 3000MM, Ø200	292,71
811.300.200 S	TORU, L: 3000MM, Ø200	386,85
811.300.250	TORU, L: 3000MM, Ø250	470,73
811.300.250 S	TORU, L: 3000MM, Ø250	710,85
811.300.315 S	TORU, L: 3000MM, Ø315MM	1 421,68
811.400.040	TORU, L: 4000MM, Ø40	62,81
811.400.040 S	TORU, L: 4000MM, Ø40	83,00
811.400.050	TORU, L: 4000MM, Ø50	73,87
811.400.050 S	TORU, L: 4000MM, Ø50	97,64
811.400.075	TORU, L: 4000MM, Ø75	106,94
811.400.075 S	TORU, L: 4000MM, Ø75	141,35
811.400.110	TORU, L: 4000MM, Ø110	149,62
811.400.110 S	TORU, L: 4000MM, Ø110	197,86
811.400.125	TORU, L: 4000MM, Ø125	209,38
811.400.125 S	TORU, L: 4000MM, Ø125	276,85
811.400.160	TORU, L: 4000MM, Ø160	269,30
811.400.160 S	TORU, L: 4000MM, Ø160	356,06
811.500.040	TORU, L: 5000MM, Ø40	77,64
811.500.040 S	TORU, L: 5000MM, Ø40	102,62
811.500.050	TORU, L: 5000MM, Ø50	91,30
811.500.050 S	TORU, L: 5000MM, Ø50	120,70
811.500.075	TORU, L: 5000MM, Ø75	132,84
811.500.075 S	TORU, L: 5000MM, Ø75	175,56
811.500.110	TORU,, L: 5000MM, Ø110	186,16
811.500.110 S	TORU,, L: 5000MM, Ø110	245,77
811.500.125	TORU,, L: 5000MM, Ø125	260,55
811.500.125 S	TORU, L: 5000MM, Ø125	344,35
811.500.160	TORU, L: 5000MM, Ø160	334,91
811.500.160 S	TORU, L: 5000MM, Ø160	442,56
811.600.040	TORU, L: 6000MM, Ø40	92,35
811.600.040 S	TORU, L: 6000MM, Ø40	122,00
811.600.050	TORU, L: 6000MM, Ø50	108,61
811.600.050 S	TORU, L: 6000MM, Ø50	143,54
811.600.075	TORU, L: 6000MM, Ø75	157,55
811.600.075 S	TORU, L: 6000MM, Ø75	208,27
811.600.110	TORU, L: 6000MM, Ø110	220,84
811.600.110 S	TORU, L: 6000MM, Ø110	291,86
811.600.125	TORU, L: 6000MM, Ø125	309,18
811.600.125 S	TORU, L: 6000MM, Ø125	408,56

811.600.160	TORU, L: 6000MM, Ø160	397,68
811.600.160 S	TORU, L: 6000MM, Ø160	525,58



820.015.040	PÖLV 15°, Ø40MM	8,65
820.015.040 S	PÖLV 15°, Ø40MM	10,34
820.015.050	PÖLV 15°, Ø50MM	9,61
820.015.050 S	PÖLV 15°, Ø50MM	11,51
820.015.075	PÖLV 15°, Ø75MM	13,05
820.015.075 S	PÖLV 15°, Ø75MM	15,64
820.015.110	PÖLV 15°, Ø110MM	17,87
820.015.110 S	PÖLV 15°, Ø110MM	21,46
820.015.125	PÖLV 15°, Ø125MM	43,30
820.015.125 S	PÖLV 15°, Ø125MM	47,39
820.015.160	PÖLV 15°, Ø160MM	42,08
820.015.160 S	PÖLV 15°, Ø160MM	50,53
820.015.200 S	PÖLV 15°, Ø200MM	145,32
820.015.250 S	PÖLV 15°, Ø250MM	255,13
820.015.315 S	PÖLV 15°, Ø315MM	417,94
820.030.040	PÖLV 30°, Ø40MM	9,95
820.030.040 S	PÖLV 30°, Ø40MM	11,74
820.030.050	PÖLV 30°, Ø50MM	11,01
820.030.050 S	PÖLV 30°, Ø50MM	13,05
820.030.075	PÖLV 30°, Ø75MM	14,93
820.030.075 S	PÖLV 30°, Ø75MM	17,68
820.030.110	PÖLV 30°, Ø110MM	20,95
820.030.110 S	PÖLV 30°, Ø110MM	25,12
820.030.125	PÖLV 30°, Ø125MM	50,04
820.030.125 S	PÖLV 30°, Ø125MM	54,83
820.030.160	PÖLV 30°, Ø160MM	48,62
820.030.160 S	PÖLV 30°, Ø160MM	58,43
820.030.200 S	PÖLV 30°, Ø200MM	168,42
820.030.250 S	PÖLV 30°, Ø250MM	309,55
820.030.315 S	PÖLV 30°, Ø315MM	448,81
820.045.040	PÖLV 45°, Ø40MM	10,19
820.045.040 S	PÖLV 45°, Ø40MM	12,22
820.045.050	PÖLV 45°, Ø50MM	11,32
820.045.050 S	PÖLV 45°, Ø50MM	13,56
820.045.075	PÖLV 45°, Ø75MM	15,28
820.045.075 S	PÖLV 45°, Ø75MM	18,19
820.045.110	PÖLV 45°, Ø110MM	21,31
820.045.110 S	PÖLV 45°, Ø110MM	25,44

PÖLV



BLÜCHER®

820.045.125	PÖLV 45°, Ø125MM	38,31
820.045.125 S	PÖLV 45°, Ø125MM	46,04
820.045.160	PÖLV 45°, Ø160MM	50,53
820.045.160 S	PÖLV 45°, Ø160MM	59,21
820.045.200 S	PÖLV, SUURE RAADIUSEGA 45°, Ø200MM	100,17
820.045.250 S	PÖLV, SUURE RAADIUSEGA 45°, Ø250MM	214,62
820.090.040	PÖLV 87.5°, Ø40MM	14,55
820.090.040 S	PÖLV 87.5°, Ø40MM	17,31
820.090.050	PÖLV 87.5°, Ø50MM	16,18
820.090.050 S	PÖLV 87.5°, Ø50MM	19,22
820.090.075	PÖLV 87.5°, Ø75MM	21,83
820.090.075 S	PÖLV 87.5°, Ø75MM	25,96
820.090.110	PÖLV 87.5°, Ø110MM	30,40
820.090.110 S	PÖLV 87.5°, Ø110MM	36,41
820.090.125	PÖLV 87.5°, Ø125MM	54,84
820.090.125 S	PÖLV 87.5°, Ø125MM	65,63
820.090.160	PÖLV 87.5°, Ø160MM	71,66
820.090.160 S	PÖLV 87.5°, Ø160MM	85,79
820.090.200 S	PÖLV 87.5°, Ø200MM	125,01
820.090.250 S	PÖLV 87.5°, Ø250MM	214,13
821.090.050	PÖLV87.5°, 250 MM, Ø50	78,87
821.090.050 S	PÖLV 87.5°, 250 MM, Ø50	94,70
821.090.075	PÖLV 87.5°, 250 MM, Ø75	106,55
821.090.075 S	PÖLV 87.5°, 250 MM, Ø75	127,90
821.090.110	PÖLV 87.5°, 250 MM, Ø110	80,79
821.090.110 S	PÖLV 87.5°, 250 MM, Ø110	96,75
821.090.125	PÖLV 87.5°, 250 MM, Ø125	145,31
821.090.125 S	PÖLV 87.5°, 250 MM, Ø125	174,40
821.090.160	PÖLV 87.5°, 250 MM, Ø160	190,45
821.090.160 S	PÖLV 87.5°, 250 MM, Ø160	228,58
822.090.075	PÖLV 87.5° PUHASTUSELEMENDIGA, Ø75MM	89,57
822.090.075 S	PÖLV 87.5° PUHASTUSELEMENDIGA, Ø75MM	107,49
822.090.110	PÖLV 87.5° PUHASTUSELEMENDIGA, Ø110MM	100,92
822.090.110 S	PÖLV 87.5° PUHASTUSELEMENDIGA, Ø110MM	109,67
822.090.160	PÖLV 87.5° PUHASTUSELEMENDIGA, Ø160MM	136,03
822.090.160 S	PÖLV 87.5° PUHASTUSELEMENDIGA, Ø160MM	163,24

KOLMIK



BLÜCHER®

830.040.040 S	KOLMIK 87.5°, Ø40/40MM	18,85
830.040.050	KOLMIK 87.5°, Ø50/40MM	16,43
830.040.050 S	KOLMIK 87.5°, Ø50/40MM	19,84
830.050.050	KOLMIK 87.5°, Ø50/50MM	17,38
830.050.050 S	KOLMIK 87.5°, Ø50/50MM	20,95
830.050.075	KOLMIK 87.5°, Ø75/50MM	23,04
830.050.075 S	KOLMIK 87.5°, Ø75/50MM	27,67
830.050.110	KOLMIK 87.5°, Ø110/50MM	32,33
830.050.110 S	KOLMIK 87.5°, Ø110/50MM	38,67
830.075.075	KOLMIK 87.5°, Ø75/75MM	23,04
830.075.075 S	KOLMIK 87.5°, Ø75/75MM	27,67
830.075.110	KOLMIK 87.5°, Ø110/75MM	32,33
830.075.110 S	KOLMIK 87.5°, Ø110/75MM	38,67
830.075.125	KOLMIK 87.5°, Ø125/75MM	69,71
830.075.125 S	KOLMIK 87.5°, Ø125/75MM	83,66
830.110.110	KOLMIK 87.5°, Ø110/110MM	32,33
830.110.110 S	KOLMIK 87.5°, Ø110/110MM	38,67
830.110.125	KOLMIK 87.5°, Ø125/110MM	58,09
830.110.125 S	KOLMIK 87.5°, Ø125/110MM	69,77
830.110.160	KOLMIK 87.5°, Ø160/110MM	75,62
830.110.160 S	KOLMIK 87.5°, Ø160/110MM	90,57
830.125.125	KOLMIK 87.5°, Ø125/125MM	69,71
830.125.125 S	KOLMIK 87.5°, Ø125/125MM	83,66
830.160.160	KOLMIK 87.5°, Ø160/160MM	75,62
830.160.160 S	KOLMIK 87.5°, Ø160/160MM	90,57
830.160.200 S	KOLMIK 87.5°, Ø200/160MM	228,42
830.200.200 S	KOLMIK 87.5°, Ø200/200MM	228,42
830.200.250 S	KOLMIK 87.5°, Ø250/200MM	359,68
830.250.250 S	KOLMIK 87.5°, Ø250/250MM	427,93
830.250.315 S	KOLMIK 87.5°, Ø315/250MM	663,14
830.315.315 S	KOLMIK 87.5°, Ø315/315MM	823,98
838.040.040	KOLMIK 45°, Ø40/40MM	26,13
838.040.040 S	KOLMIK 45°, Ø40/40MM	31,40
838.040.050	KOLMIK 45°, Ø50/40MM	26,13
838.040.050 S	KOLMIK 45°, Ø50/40MM	31,40
838.050.050	KOLMIK 45°, Ø50/50MM	29,03
838.050.050 S	KOLMIK 45°, Ø50/50MM	34,89
838.050.075	KOLMIK 45°, Ø75/50MM	38,31
838.050.075 S	KOLMIK 45°, Ø75/50MM	45,88
838.050.110	KOLMIK 45°, Ø110/50MM	53,44

KOLMIK



BLÜCHER®

838.050.110 S	KOLMIK 45°, Ø110/50MM	64,12
838.075.075	KOLMIK 45°, Ø75/75MM	38,31
838.075.075 S	KOLMIK 45°, Ø75/75MM	45,88
838.075.110	KOLMIK 45°, Ø110/75MM	53,44
838.075.110 S	KOLMIK 45°, Ø110/75MM	64,12
838.075.125	KOLMIK 45°, Ø125/75MM	96,24
838.075.125 S	KOLMIK 45°, Ø125/75MM	115,51
838.110.110	KOLMIK 45°, Ø110/110MM	53,44
838.110.110 S	KOLMIK 45°, Ø110/110MM	64,12
838.110.125	KOLMIK 45°, Ø125/110MM	113,24
838.110.125 S	KOLMIK 45°, Ø125/110MM	135,87
838.110.160	KOLMIK 45°, Ø160/110MM	125,27
838.110.160 S	KOLMIK 45°, Ø160/110MM	150,55
838.125.125	KOLMIK 45°, Ø125/125MM	96,24
838.125.125 S	KOLMIK 45°, Ø125/125MM	115,51
838.160.160	KOLMIK 45°, Ø160/160MM	125,27
838.160.160 S	KOLMIK 45°, Ø160/160MM	150,55
838.160.200 S	KOLMIK 45°, Ø200/160MM	320,69
838.200.200 S	KOLMIK 45°, Ø200/200MM	320,69
838.200.250 S	KOLMIK 45°, Ø250/200MM	410,23
838.250.250 S	KOLMIK 45°, Ø250/250MM	501,92
838.250.315 S	KOLMIK 45°, Ø315/250MM	723,53
838.315.315 S	KOLMIK 45°, Ø315/315MM	1 003,83

NELIK



BLÜCHER®

831.050.050	NELIK 7.5°, Ø50/50MM	66,51
831.050.050 S	NELIK 7.5°, Ø50/50MM	79,91
831.050.075	NELIK 7.5°, Ø75/50MM	63,42
831.050.075 S	NELIK 7.5°, Ø75/50MM	76,16
831.050.110	NELIK 7.5°, Ø110/50MM	88,50
831.050.110 S	NELIK 7.5°, Ø110/50MM	106,23
831.075.075	NELIK 7.5°, Ø75/75MM	66,85
831.075.075 S	NELIK 7.5°, Ø75/75MM	80,24
831.075.110	NELIK 7.5°, Ø110/75MM	88,50

NELIK



BLÜCHER®

831.075.110 S	NELIK 87.5°, Ø110/75MM	106,23
831.110.110	NELIK 87.5° Ø110/110MM	88,50
831.110.110 S	NELIK 87.5° Ø110/110MM	106,23
831.110.160	NELIK 87.5° Ø160/110MM	207,79
831.110.160 S	NELIK 87.5° Ø160/110MM	249,23
831.160.160	NELIK 87.5° Ø160/160MM	207,79
831.160.160 S	NELIK 87.5° Ø160/160MM	249,23
832.050.050	NELIK 87.5°, Ø50/50MM	67,89
832.050.050 S	NELIK 87.5°, Ø50/50MM	81,27
832.050.075	NELIK 87.5°, Ø75/50MM	92,15
832.050.075 S	NELIK 87.5°, Ø75/50MM	110,51
832.050.110	NELIK 87.5°, Ø110/50MM	128,43
832.050.110 S	NELIK 87.5°, Ø110/50MM	153,98
832.075.075	NELIK 87.5°, Ø75/75MM	92,15
832.075.075 S	NELIK 87.5°, Ø75/75MM	110,51
832.075.110	NELIK 87.5°, Ø110/75MM	128,43
832.075.110 S	NELIK 87.5°, Ø110/75MM	153,98
832.110.110	NELIK 87.5° Ø110/110MM	128,43
832.110.110 S	NELIK 87.5° Ø110/110MM	153,98
832.110.160	NELIK 87.5° Ø160/110MM	301,80
832.110.160 S	NELIK 87.5° Ø160/110MM	362,15
832.160.160	NELIK 87.5° Ø160/160MM	301,80
832.160.160 S	NELIK 87.5° Ø160/160MM	362,15
836.050.050 S	NELIK 45°, Ø50/50MM	104,66
836.050.075 S	NELIK 45°, Ø75/50MM	104,66
836.050.110 S	NELIK 45°, Ø110/50MM	135,43
836.075.075 S	NELIK 45°, Ø75/75MM	158,30
836.075.110 S	NELIK 45°, Ø110/75MM	157,46
836.110.110 S	NELIK 45°, Ø110/110MM	212,61
836.110.160 S	NELIK 45°, Ø160/110MM	317,46
836.160.160 S	NELIK 45°, Ø160/160MM	317,46
837.050.050 S	NELIK 45°, Ø50/50MM	75,94
837.050.075 S	NELIK 45°, Ø75/50MM	100,72
837.050.110 S	NELIK 45°, Ø110/50MM	139,74
837.075.075 S	NELIK 45°, Ø75/75MM	103,81
837.075.110 S	NELIK 45°, Ø110/75MM	139,74
837.110.110 S	NELIK 45°, Ø110/110MM	139,74
837.110.160 S	NELIK 45°, Ø160/110MM	328,46
837.160.160 S	NELIK 45°, Ø160/160MM	328,46

LAUGE KOLMIK



BLÜCHER®

839.050.050	LAUGE KOLMIK 87.5°, Ø50/50MM	48,97
839.050.050 S	LAUGE KOLMIK 87.5°, Ø50/50MM	58,96
839.050.075	LAUGE KOLMIK 87.5°, Ø75/50MM	54,33
839.050.075 S	LAUGE KOLMIK 87.5°, Ø75/50MM	65,12
839.050.110	LAUGE KOLMIK 87.5°, Ø110/50MM	75,94
839.050.110 S	LAUGE KOLMIK 87.5°, Ø110/50MM	91,27
839.075.075	LAUGE KOLMIK 87.5°, Ø75/75MM	71,16
839.075.075 S	LAUGE KOLMIK 87.5°, Ø75/75MM	85,40
839.075.110	LAUGE KOLMIK 87.5°, Ø110/75MM	75,94
839.075.110 S	LAUGE KOLMIK 87.5°, Ø110/75MM	91,27
839.110.110	LAUGE KOLMIK 87.5°, Ø110/110MM	90,21
839.110.110 S	LAUGE KOLMIK 87.5°, Ø110/110MM	108,29
839.110.160	LAUGE KOLMIK 87.5°, Ø160/110MM	178,22
839.110.160 S	LAUGE KOLMIK 87.5°, Ø160/110MM	213,79
839.160.160	LAUGE KOLMIK 87.5°, Ø160/160MM	178,22
839.160.160 S	LAUGE KOLMIK 87.5°, Ø160/160MM	213,79

PUHASTUSELEMENT



BLÜCHER®

840.000.110 S	PUHASTUSELEMENT, Ø110MM	647,13
840.000.160 S	PUHASTUSELEMENT, Ø160MM	829,11
840.000.200 S	PUHASTUSELEMENT, Ø200MM	1 108,91
840.000.250 S	PUHASTUSELEMENT, Ø250MM	1 430,30
840.075.075	PUHASTUSELEMENT, Ø75MM	39,98
840.075.075 S	PUHASTUSELEMENT, Ø75MM	48,13
840.110.110	PUHASTUSELEMENT, Ø110MM	44,47
840.110.110 S	PUHASTUSELEMENT, Ø110MM	54,81
840.125.125 S	PUHASTUSELEMENT, Ø125MM	121,89
840.160.160	PUHASTUSELEMENT, Ø160MM	129,91
840.160.160 S	PUHASTUSELEMENT, Ø160MM	155,92
840.200.200 S	PUHASTUSELEMENT, Ø200MM	233,47

MUHV



BLÜCHER®

841.040.040	MUHV, Ø40MM	8,65
841.040.040 S	MUHV, Ø40MM	10,34
841.050.050	MUHV, Ø50MM	9,61
841.050.050 S	MUHV, Ø50MM	11,51
841.075.075	MUHV, Ø75MM	13,95
841.075.075 S	MUHV, Ø75MM	16,67
841.110.110	MUHV, Ø110MM	19,61
841.110.110 S	MUHV, Ø110MM	23,56
841.125.125	MUHV, Ø125MM	27,53
841.125.125 S	MUHV, Ø125MM	32,97
841.160.160	MUHV, Ø160MM	35,24
841.160.160 S	MUHV, Ø160MM	42,29
841.200.200 S	MUHV, Ø200MM	78,46
841.250.250 S	MUHV, Ø250MM	136,74
841.315.315 S	MUHV, Ø315MM	244,85

PARANDUSMUHV



BLÜCHER®

842.040.040 S	PARANDUSMUHV, Ø40MM	12,90
842.050.050 S	PARANDUSMUHV, Ø50MM	14,25
842.075.075 S	PARANDUSMUHV, Ø75MM	19,92
842.110.110 S	PARANDUSMUHV, Ø110MM	28,32
842.125.125 S	PARANDUSMUHV, Ø125MM	39,71
842.160.160 S	PARANDUSMUHV, Ø160MM	50,53
842.200.200 S	PARANDUSMUHV, Ø200MM	92,26
842.250.250 S	PARANDUSMUHV, Ø250MM	156,37
842.315.315 S	PARANDUSMUHV, Ø315MM	257,07

PIKENDATUD MUHV



BLÜCHER®

843.095.040 S	PIKENDATUD MUHV, Ø40MM	12,22
843.105.050	PIKENDATUD MUHV, Ø50MM	11,32
843.105.050 S	PIKENDATUD MUHV, Ø50MM	13,56
843.115.075	PIKENDATUD MUHV, Ø75MM	13,05
843.115.075 S	PIKENDATUD MUHV, Ø75MM	15,64
843.125.110	PIKENDATUD MUHV, Ø110MM	18,19
843.125.110 S	PIKENDATUD MUHV, Ø110MM	22,01
843.140.125	PIKENDATUD MUHV, Ø125MM	32,67
843.140.125 S	PIKENDATUD MUHV, Ø125MM	39,18
843.182.160	PIKENDATUD MUHV, Ø160MM	32,67
843.182.160 S	PIKENDATUD MUHV, Ø160MM	39,18

OTSAKORK



BLÜCHER®

844.000.040 S	OTSAKORK MUHVI SISSE, Ø40MM	9,43
844.000.050 S	OTSAKORK MUHVI SISSE, Ø50MM	10,49
844.000.075 S	OTSAKORK MUHVI SISSE, Ø75MM	11,32
844.000.110 S	OTSAKORK MUHVI SISSE, Ø110MM	13,95
844.000.125 S	OTSAKORK MUHVI SISSE, Ø125MM	23,56
844.000.160 S	OTSAKORK MUHVI SISSE, Ø160MM	25,12
844.000.200 S	OTSAKORK MUHVI SISSE, Ø200MM	37,80
844.100.050 S	OTSAKORK MUHVI SISSE, Ø50MM	17,87
844.100.075 S	OTSAKORK MUHVI SISSE Ø75MM	19,92
844.100.110 S	OTSAKORK MUHVI SISSE, Ø110MM	28,71
845.000.160 S	OTSAKORK MUHVI SISSE, Ø160MM	51,38
847.001.040	MUHVI LUKK, Ø40MM	13,05

TORU ÜHENDUSKLAMBER



BLÜCHER®

847.040.040	TORU ÜHENDUSKLAMBER, Ø40MM	15,12
847.050.050	TORU ÜHENDUSKLAMBER, Ø50MM	12,72
847.075.075	TORU ÜHENDUSKLAMBER, Ø75MM	15,81
847.110.110	TORU ÜHENDUSKLAMBER, Ø110MM	17,87
847.125.125	TORU ÜHENDUSKLAMBER, Ø125MM	19,08
847.160.160	TORU ÜHENDUSKLAMBER, Ø160MM	19,08
847.200.200	TORU ÜHENDUSKLAMBER, Ø200MM	24,79
847.250.250	TORU ÜHENDUSKLAMBER, Ø250MM	35,78

ÜLEMINEK



BLÜCHER®

850.050.032 S	ÜLEMINEK, Ø50/32MM	35,86
850.050.040 S	ÜLEMINEK, Ø50/40MM	41,59
850.050.075	ÜLEMINEK, Ø50/75MM	17,00
850.050.075 CS	ÜLEMINEK, Ø50/75MM	24,41
850.050.075 S	ÜLEMINEK, Ø50/75MM	20,41
850.050.110	ÜLEMINEK, Ø50/110MM	23,88
850.050.110 CS	ÜLEMINEK, Ø50/110MM	29,95
850.050.110 S	ÜLEMINEK, Ø50/110MM	28,71
850.075.050 S	ÜLEMINEK, Ø75/50MM	25,61
850.075.110	ÜLEMINEK, Ø75/110MM	23,04
850.075.110 C	ÜLEMINEK, Ø75/110MM	18,71
850.075.110 S	ÜLEMINEK, Ø75/110MM	27,67
850.075.160	ÜLEMINEK, Ø75/160MM	66,53
850.075.160 S	ÜLEMINEK, Ø75/160MM	78,56
850.110.050 S	ÜLEMINEK, Ø110/ 50MM	78,56
850.110.075 S	ÜLEMINEK, Ø110/75MM	26,27
850.110.082 S	ÜLEMINEK, Ø110/82MM	38,99
850.110.125 CS	ÜLEMINEK, Ø110/125MM	21,89
850.110.125 S	ÜLEMINEK, Ø110/125MM	46,35
850.110.160	ÜLEMINEK, Ø110/160MM	48,13
850.110.160 CS	ÜLEMINEK, Ø110/160MM	37,13
850.110.160 S	ÜLEMINEK, Ø110/160MM	57,91
850.125.110 S	ÜLEMINEK, Ø125/ 110MM	47,28
850.125.160 CS	ÜLEMINEK, Ø125/160MM	30,06

ÜLEMINEK



BLÜCHER®

850.125.160 S	ÜLEMINEK, Ø125/160MM	63,52
850.160.110 S	ÜLEMINEK, Ø160/110MM	63,07
850.160.125 S	ÜLEMINEK, Ø160/125MM	57,09
850.160.200 CS	ÜLEMINEK, Ø160/200MM	49,37
850.160.200 S	ÜLEMINEK, Ø160/200MM	83,48
850.200.160 S	ÜLEMINEK, Ø200/160MM	79,41
850.200.250 CS	ÜLEMINEK, Ø200/250MM	82,59
850.200.250 S	ÜLEMINEK, Ø200/250MM	110,58
850.200.315 CS	ÜLEMINEK, Ø200/315MM	161,86
850.200.315 S	ÜLEMINEK, Ø200/315MM	206,34
850.250.200 S	ÜLEMINEK, Ø250/200MM	116,52
850.250.315 CS	ÜLEMINEK, Ø250/315MM	165,17
850.250.315 S	ÜLEMINEK, Ø250/315MM	221,16
850.315.250 S	ÜLEMINEK, Ø315/250MM	233,05
853.093.075 S	ÜLEMINEK MALMTORULE, Ø93/75MM	17,95
853.127.110 S	ÜLEMINEK MALMTORULE, Ø127/110MM	20,41

Tootja: Blücher Metal A/S
Pugdølvej 1, 7480 Vildbjerg | Denmark
WWW.BLUCHER.COM