





EUROPIPE HINNAKIRI 2023

Hinnad ei sisalda käibemaksu

Artikli nr. Toode Hind EUR



Artikli nr.	Toode	Hind EUR
811.015.040	TORU, L: 150MM, Ø40	9.14
811.015.040 S	TORU, L: 150MM, Ø40	12.14
811.015.050	TORU, L: 150MM, Ø50	10.76
811.015.050 S	TORU, L: 150MM, Ø50	14.32
811.015.075	TORU, L: 150MM, Ø75	16.09
811.015.075 S	TORU, L: 150MM, Ø75	20.92
811.015.110	TORU, L: 150MM, Ø110	22.29
811.015.110 S	TORU, L: 150MM, Ø110	29.19
811.015.125	TORU, L: 150MM, Ø125	40.09
811.015.125 S	TORU, L: 150MM, Ø125	47.59
811.015.160	TORU, L: 150MM, Ø160	40.09
811.015.160 S	TORU, L: 150MM, Ø160	52.97
811.015.200	TORU, L: 150MM, Ø200	74.35
811.015.200 S	TORU, L: 150MM, Ø200	98.21
811.025.040	TORU, L: 250MM, Ø40	10.87
811.025.040 S	TORU, L: 250MM, Ø40	14.32
811.025.050	TORU, L: 250MM, Ø50	12.82
811.025.050 S	TORU, L: 250MM, Ø50	16.84
811.025.075	TORU, L: 250MM, Ø75	18.57
811.025.075 S	TORU, L: 250MM, Ø75	24.54
811.025.110	TORU, L: 250MM, Ø110	26.07
811.025.110 S	TORU, L: 250MM, Ø110	34.50
811.025.125	TORU, L: 250MM, Ø125	46.15
811.025.125 S	TORU, L: 250MM, Ø125	48.31
811.025.160	TORU, L: 250MM, Ø160	46.15
811.025.160 S	TORU, L: 250MM, Ø160	61.25
811.025.200	TORU, L: 250MM, Ø200	74.35
811.025.200 S	TORU, L: 250MM, Ø200	98.21
811.025.200 S	TORU, L: 250MM, Ø200	98.21
811.050.040	TORU, L: 500MM, Ø40	16.61
811.050.040 S	TORU, L: 500MM, Ø40	22.22
811.050.050	TORU, L: 500MM, Ø50	19.57



811.050.050 S	TORU, L: 500MM, Ø50	26.21
811.050.075	TORU, L: 500MM, Ø75	28.58
<div style="display: flex; align-items: center; justify-content: space-between;"> <div style="text-align: left;"> <p>MUHV TORU</p> </div> <div style="text-align: center;">  </div> <div style="text-align: right;">  </div> </div>		
811.050.075 S	TORU, L: 500MM, Ø75	37.80
811.050.110	TORU, L: 500MM, Ø110	40.09
811.050.110 S	TORU, L: 500MM, Ø110	52.97
811.050.125	TORU, L: 500MM, Ø125	56.15
811.050.125 S	TORU, L: 500MM, Ø125	74.22
811.050.160	TORU, L: 500MM, Ø160	71.39
811.050.160 S	TORU, L: 500MM, Ø160	94.66
811.050.200	TORU, L: 500MM, Ø200	102.57
811.050.200 S	TORU, L: 500MM, Ø200	135.57
811.050.250	TORU, L: 500MM, Ø250	173.67
811.050.250 S	TORU, L: 500MM, Ø250	245.47
811.050.315 S	TORU, L: 500MM, Ø315MM	490.98
811.075.040	TORU, L: 750MM, Ø40	22.20
811.075.040 S	TORU, L: 750MM, Ø40	29.29
811.075.050	TORU, L: 750MM, Ø50	26.07
811.075.050 S	TORU, L: 750MM, Ø50	34.50
811.075.075	TORU, L: 750MM, Ø75	37.36
811.075.075 S	TORU, L: 750MM, Ø75	49.37
811.075.110	TORU, L: 750MM, Ø110	52.65
811.075.110 S	TORU, L: 750MM, Ø110	69.48
811.075.125	TORU, L: 750MM, Ø125	73.68
811.075.125 S	TORU, L: 750MM, Ø125	97.39
811.075.160	TORU, L: 750MM, Ø160	94.97
811.075.160 S	TORU, L: 750MM, Ø160	125.33
811.075.200	TORU, L: 750MM, Ø200	169.36
811.075.200 S	TORU, L: 750MM, Ø200	223.77
811.075.200 S	TORU, L: 750MM, Ø200	223.77
811.100.040	TORU, L: 1000MM, Ø40	27.45
811.100.040 S	TORU, L: 1000MM, Ø40	36.35
811.100.050	TORU, L: 1000MM, Ø50	32.32
811.100.050 S	TORU, L: 1000MM, Ø50	42.78
811.100.075	TORU, L: 1000MM, Ø75	47.10
811.100.075 S	TORU, L: 1000MM, Ø75	62.10
811.100.110	TORU, L: 1000MM, Ø110	65.88
811.100.110 S	TORU, L: 1000MM, Ø110	86.89
811.100.125	TORU, L: 1000MM, Ø125	92.21
811.100.125 S	TORU, L: 1000MM, Ø125	121.98
811.100.160	TORU, L: 1000MM, Ø160	117.77
811.100.160 S	TORU, L: 1000MM, Ø160	155.35

MUHV TORU







BLÜCHER®



		22.05
811.100.200	TORU, L: 1000MM, Ø200	169.36
811.100.200 S	TORU, L: 1000MM, Ø200	223.77
811.100.250	TORU, L: 1000MM, Ø250	279.35
811.100.250 S	TORU, L: 1000MM, Ø250	413.64
811.100.315 S	TORU, L: 1000MM, Ø315MM	827.32
811.150.040	TORU, L: 1500MM, Ø40	38.76
811.150.040 S	TORU, L: 1500MM, Ø40	51.09
811.150.050	TORU, L: 1500MM, Ø50	45.57
811.150.050 S	TORU, L: 1500MM, Ø50	60.18
811.150.075	TORU, L: 1500MM, Ø75	65.88
811.150.075 S	TORU, L: 1500MM, Ø75	86.89
811.150.110 S	TORU, L: 1500MM, Ø110	122.29
811.150.125	TORU, L: 1500MM, Ø125	131.46
811.150.125 S	TORU, L: 1500MM, Ø125	173.73
811.150.160	TORU, L: 1500MM, Ø160	166.37
811.150.160 S	TORU, L: 1500MM, Ø160	220.00
811.200.040	TORU, L: 2000MM, Ø40	48.98
811.200.040 S	TORU, L: 2000MM, Ø40	64.71
811.200.050	TORU, L: 2000MM, Ø50	57.58
811.200.050 S	TORU, L: 2000MM, Ø50	76.13
811.200.075	TORU, L: 2000MM, Ø75	83.73
811.200.075 S	TORU, L: 2000MM, Ø75	110.38
811.200.110	TORU, L: 2000MM, Ø110	117.30
811.200.110 S	TORU, L: 2000MM, Ø110	154.58
811.200.125	TORU, L: 2000MM, Ø125	164.07
811.200.125 S	TORU, L: 2000MM, Ø125	216.90
811.200.160	TORU, L: 2000MM, Ø160	210.77
811.200.160 S	TORU, L: 2000MM, Ø160	278.20
811.200.200	TORU, L: 2000MM, Ø200	304.34
811.200.200 S	TORU, L: 2000MM, Ø200	402.30
811.200.250	TORU, L: 2000MM, Ø250	441.42
811.200.250 S	TORU, L: 2000MM, Ø250	705.56
811.200.315 S	TORU, L: 1867MM, Ø315MM	1,411.07
811.300.040	TORU, L: 3000MM, Ø40	71.13
811.300.040 S	TORU, L: 3000MM, Ø40	93.83
811.300.050	TORU, L: 3000MM, Ø50	83.73
811.300.050 S	TORU, L: 3000MM, Ø50	110.38
811.300.075	TORU, L: 3000MM, Ø75	120.74
811.300.075 S	TORU, L: 3000MM, Ø75	159.75
811.300.110	TORU, L: 3000MM, Ø110	169.65
811.300.110 S	TORU, L: 3000MM, Ø110	224.09



811.300.125	TORU, L: 3000MM, Ø125	237.57
<div style="display: flex; align-items: center; justify-content: space-between;"> <div style="text-align: left;"> <p>MUHV TORU</p> </div> <div style="text-align: center;">  </div> <div style="text-align: right;">  </div> </div>		
811.300.125 S	TORU, L: 3000MM, Ø125	313.79
811.300.160	TORU, L: 3000MM, Ø160	305.46
811.300.160 S	TORU, L: 3000MM, Ø160	403.80
811.300.200	TORU, L: 3000MM, Ø200	441.74
811.300.200 S	TORU, L: 3000MM, Ø200	583.84
811.300.250	TORU, L: 3000MM, Ø250	710.40
811.300.250 S	TORU, L: 3000MM, Ø250	1,072.80
811.300.315 S	TORU, L: 3000MM, Ø315MM	2,145.57
811.400.040	TORU, L: 4000MM, Ø40	94.79
811.400.040 S	TORU, L: 4000MM, Ø40	125.27
811.400.050	TORU, L: 4000MM, Ø50	111.49
811.400.050 S	TORU, L: 4000MM, Ø50	147.36
811.400.075	TORU, L: 4000MM, Ø75	161.40
811.400.075 S	TORU, L: 4000MM, Ø75	213.33
811.400.110	TORU, L: 4000MM, Ø110	225.80
811.400.110 S	TORU, L: 4000MM, Ø110	298.62
811.400.125	TORU, L: 4000MM, Ø125	315.99
811.400.125 S	TORU, L: 4000MM, Ø125	417.82
811.400.160	TORU, L: 4000MM, Ø160	406.42
811.400.160 S	TORU, L: 4000MM, Ø160	537.35
811.500.040	TORU, L: 5000MM, Ø40	117.17
811.500.040 S	TORU, L: 5000MM, Ø40	154.87
811.500.050	TORU, L: 5000MM, Ø50	137.80
811.500.050 S	TORU, L: 5000MM, Ø50	182.15
811.500.075	TORU, L: 5000MM, Ø75	200.48
811.500.075 S	TORU, L: 5000MM, Ø75	264.95
811.500.110	TORU,, L: 5000MM, Ø110	280.95
811.500.110 S	TORU,, L: 5000MM, Ø110	370.92
811.500.125	TORU,, L: 5000MM, Ø125	393.22
811.500.125 S	TORU, L: 5000MM, Ø125	519.70
811.500.160	TORU, L: 5000MM, Ø160	505.45
811.500.160 S	TORU, L: 5000MM, Ø160	667.92
811.600.040	TORU, L: 6000MM, Ø40	139.38
811.600.040 S	TORU, L: 6000MM, Ø40	184.13
811.600.050	TORU, L: 6000MM, Ø50	163.91
811.600.050 S	TORU, L: 6000MM, Ø50	216.63
811.600.075	TORU, L: 6000MM, Ø75	237.77
811.600.075 S	TORU, L: 6000MM, Ø75	314.33
811.600.110	TORU, L: 6000MM, Ø110	333.29
811.600.110 S	TORU, L: 6000MM, Ø110	440.47



811.600.125	TORU, L: 6000MM, Ø125	466.61
811.600.125 S	TORU, L: 6000MM, Ø125	616.58
811.600.160	TORU, L: 6000MM, Ø160	600.17
811.600.160 S	TORU, L: 6000MM, Ø160	793.19

<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: left;"> <p>PÖLV</p> </div> <div style="text-align: center;">  </div> <div style="text-align: right;">  </div> </div>		
820.015.040	PÖLV 15°, Ø40MM	12.77
820.015.040 S	PÖLV 15°, Ø40MM	15.27
820.015.050	PÖLV 15°, Ø50MM	14.19
820.015.050 S	PÖLV 15°, Ø50MM	17.01
820.015.075	PÖLV 15°, Ø75MM	19.27
820.015.075 S	PÖLV 15°, Ø75MM	23.09
820.015.110	PÖLV 15°, Ø110MM	26.38
820.015.110 S	PÖLV 15°, Ø110MM	31.69
820.015.125	PÖLV 15°, Ø125MM	63.93
820.015.125 S	PÖLV 15°, Ø125MM	69.98
820.015.160	PÖLV 15°, Ø160MM	62.12
820.015.160 S	PÖLV 15°, Ø160MM	74.60
820.015.200 S	PÖLV 15°, Ø200MM	214.55
820.015.250 S	PÖLV 15°, Ø250MM	376.67
820.015.315 S	PÖLV 15°, Ø315MM	617.04
820.030.040	PÖLV 30°, Ø40MM	14.68
820.030.040 S	PÖLV 30°, Ø40MM	17.33
820.030.050	PÖLV 30°, Ø50MM	16.25
820.030.050 S	PÖLV 30°, Ø50MM	19.27
820.030.075	PÖLV 30°, Ø75MM	22.05
820.030.075 S	PÖLV 30°, Ø75MM	26.10
820.030.110	PÖLV 30°, Ø110MM	30.94
820.030.110 S	PÖLV 30°, Ø110MM	37.09
820.030.125	PÖLV 30°, Ø125MM	73.89
820.030.125 S	PÖLV 30°, Ø125MM	80.96
820.030.160	PÖLV 30°, Ø160MM	71.79
820.030.160 S	PÖLV 30°, Ø160MM	86.28
820.030.200 S	PÖLV 30°, Ø200MM	248.66
820.030.250 S	PÖLV 30°, Ø250MM	457.02
820.030.315 S	PÖLV 30°, Ø315MM	662.61
820.045.040	PÖLV 45°, Ø40MM	15.04
820.045.040 S	PÖLV 45°, Ø40MM	18.03
820.045.050	PÖLV 45°, Ø50MM	16.73
820.045.050 S	PÖLV 45°, Ø50MM	20.03



820.045.075	PÖLV 45°, Ø75MM	22.57
820.045.075 S	PÖLV 45°, Ø75MM	26.84
820.045.110	PÖLV 45°, Ø110MM	31.48
820.045.110 S	PÖLV 45°, Ø110MM	37.55
<div style="display: flex; align-items: center; justify-content: space-between;"> <div style="text-align: center;"> <p>PÖLV</p>  </div> <div style="text-align: center;">  </div> </div>		
820.045.125	PÖLV 45°, Ø125MM	56.58
820.045.125 S	PÖLV 45°, Ø125MM	67.97
820.045.160	PÖLV 45°, Ø160MM	74.60
820.045.160 S	PÖLV 45°, Ø160MM	87.41
820.045.200 S	PÖLV, SUURE RAADIUSEGA 45°, Ø200MM	147.88
820.045.250 S	PÖLV, SUURE RAADIUSEGA 45°, Ø250MM	316.86
820.045.315 S	PÖLV 45°, Ø315MM	316.86
820.090.040	PÖLV 87.5°, Ø40MM	21.49
820.090.040 S	PÖLV 87.5°, Ø40MM	25.56
820.090.050	PÖLV 87.5°, Ø50MM	23.88
820.090.050 S	PÖLV 87.5°, Ø50MM	28.37
820.090.075	PÖLV 87.5°, Ø75MM	32.24
820.090.075 S	PÖLV 87.5°, Ø75MM	38.33
820.090.110	PÖLV 87.5°, Ø110MM	44.89
820.090.110 S	PÖLV 87.5°, Ø110MM	53.76
820.090.125	PÖLV 87.5°, Ø125MM	80.97
820.090.125 S	PÖLV 87.5°, Ø125MM	96.90
820.090.160	PÖLV 87.5°, Ø160MM	105.80
820.090.160 S	PÖLV 87.5°, Ø160MM	126.68
820.090.200 S	PÖLV 87.5°, Ø200MM	184.57
820.090.250 S	PÖLV 87.5°, Ø250MM	316.14
820.090.315 S	PÖLV 87.5°, Ø315MM	316.14
821.090.050	PÖLV87.5°, 250 MM, Ø50	116.44
821.090.050 S	PÖLV 87.5°, 250 MM, Ø50	139.80
821.090.075	PÖLV 87.5°, 250 MM, Ø75	157.31
821.090.075 S	PÖLV 87.5°, 250 MM, Ø75	188.83
821.090.110	PÖLV 87.5°, 250 MM, Ø110	119.28
821.090.110 S	PÖLV 87.5°, 250 MM, Ø110	142.85
821.090.125	PÖLV 87.5°, 250 MM, Ø125	214.54
821.090.125 S	PÖLV 87.5°, 250 MM, Ø125	257.49
821.090.160	PÖLV 87.5°, 250 MM, Ø160	281.17
821.090.160 S	PÖLV 87.5°, 250 MM, Ø160	337.47
822.090.075	PÖLV 87.5° PUHASTUSELEMENDIGA, Ø75MM	132.24
822.090.075 S	PÖLV 87.5° PUHASTUSELEMENDIGA, Ø75MM	158.69
822.090.110	PÖLV 87.5° PUHASTUSELEMENDIGA, Ø110MM	149.01
822.090.110 S	PÖLV 87.5° PUHASTUSELEMENDIGA, Ø110MM	161.92
822.090.160	PÖLV 87.5° PUHASTUSELEMENDIGA, Ø160MM	200.84



822.090.160 S	PÕLV 87.5° PUHASTUSELEMENDIGA, Ø160MM	241.00
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="text-align: center;"> <p>KOLMIK</p>  </div> <div style="text-align: center;">  </div> </div>		
830.040.040 S	KOLMIK 87.5°, Ø40MM	27.83
830.040.050	KOLMIK 87.5°, Ø50MM	24.27
830.040.050 S	KOLMIK 87.5°, Ø50MM	29.31
830.050.050	KOLMIK 87.5°, Ø50MM	25.66
830.050.050 S	KOLMIK 87.5°, Ø50MM	30.94
830.050.075	KOLMIK 87.5°, Ø75MM	34.01
830.050.075 S	KOLMIK 87.5°, Ø75MM	40.85
830.050.110	KOLMIK 87.5°, Ø110MM	47.73
830.050.110 S	KOLMIK 87.5°, Ø110MM	57.09
830.075.075	KOLMIK 87.5°, Ø75MM	34.01
830.075.075 S	KOLMIK 87.5°, Ø75MM	40.85
830.075.110	KOLMIK 87.5°, Ø110MM	47.73
830.075.110 S	KOLMIK 87.5°, Ø110MM	57.09
830.075.125	KOLMIK 87.5°, Ø125MM	102.93
830.075.125 S	KOLMIK 87.5°, Ø125MM	123.51
830.110.110	KOLMIK 87.5°, Ø110MM	47.73
830.110.110 S	KOLMIK 87.5°, Ø110MM	57.09
830.110.125	KOLMIK 87.5°, Ø125MM	85.76
830.110.125 S	KOLMIK 87.5°, Ø125MM	103.01
830.110.160	KOLMIK 87.5°, Ø160MM	111.65
830.110.160 S	KOLMIK 87.5°, Ø160MM	133.72
830.125.125	KOLMIK 87.5°, Ø125MM	102.93
830.125.125 S	KOLMIK 87.5°, Ø125MM	123.51
830.160.160	KOLMIK 87.5°, Ø160MM	111.65
830.160.160 S	KOLMIK 87.5°, Ø160MM	133.72
830.160.200 S	KOLMIK 87.5°, Ø200MM	337.24
830.200.200 S	KOLMIK 87.5°, Ø200MM	337.24
830.200.250 S	KOLMIK 87.5°, Ø250MM	531.02
830.250.250 S	KOLMIK 87.5°, Ø250MM	631.79
830.250.315 S	KOLMIK 87.5°, Ø315/250MM	979.04
830.315.315 S	KOLMIK 87.5°, Ø315/315MM	1,216.51
834.110.110 S	KOLMIK 87.5° W ACC, Ø110/110MM	166.48
834.160.160 S	KOLMIK 87.5° W ACC, Ø160/160MM	166.48
838.040.040	KOLMIK 45°, Ø40/40MM	38.57
838.040.040 S	KOLMIK 45°, Ø40/40MM	46.36
838.040.050	KOLMIK 45°, Ø50/40MM	38.57
838.040.050 S	KOLMIK 45°, Ø50/40MM	46.36
838.050.050	KOLMIK 45°, Ø50/50MM	42.86
838.050.050 S	KOLMIK 45°, Ø50/50MM	51.51
838.050.075	KOLMIK 45°, Ø75/50MM	56.58

838.050.075 S	KOLMIK 45°, Ø75/50MM	67.74
838.050.110	KOLMIK 45°, Ø110/50MM	78.90
		
KOLMIK		
838.050.110 S	KOLMIK 45°, Ø110/50MM	94.66
838.075.075	KOLMIK 45°, Ø75/75MM	56.58
838.075.075 S	KOLMIK 45°, Ø75/75MM	67.74
838.075.110	KOLMIK 45°, Ø110/75MM	78.90
838.075.110 S	KOLMIK 45°, Ø110/75MM	94.66
838.075.125	KOLMIK 45°, Ø125/75MM	142.08
838.075.125 S	KOLMIK 45°, Ø125/75MM	170.54
838.110.110	KOLMIK 45°, Ø110/110MM	78.90
838.110.110 S	KOLMIK 45°, Ø110/110MM	94.66
838.110.125	KOLMIK 45°, Ø125/110MM	167.18
838.110.125 S	KOLMIK 45°, Ø125/110MM	200.60
838.110.160	KOLMIK 45°, Ø160/110MM	184.95
838.110.160 S	KOLMIK 45°, Ø160/110MM	222.27
838.125.125	KOLMIK 45°, Ø125/125MM	142.08
838.125.125 S	KOLMIK 45°, Ø125/125MM	170.54
838.160.160	KOLMIK 45°, Ø160/160MM	184.95
838.160.160 S	KOLMIK 45°, Ø160/160MM	222.27
838.160.200 S	KOLMIK 45°, Ø200/160MM	473.45
838.200.200 S	KOLMIK 45°, Ø200/200MM	473.45
838.200.250 S	KOLMIK 45°, Ø250/200MM	605.64
838.250.250 S	KOLMIK 45°, Ø250/250MM	741.03
838.250.315 S	KOLMIK 45°, Ø315/250MM	1,068.21
838.315.315 S	KOLMIK 45°, Ø315/315MM	1,482.03

		
NELIK		
831.050.050	NELIK 87.5°, Ø50/50MM	98.19
831.050.050 S	NELIK 87.5°, Ø50/50MM	117.98
831.050.075	NELIK 87.5°, Ø75/50MM	93.63
831.050.075 S	NELIK 87.5°, Ø75/50MM	112.43
831.050.110	NELIK 87.5°, Ø110/50MM	130.66
831.050.110 S	NELIK 87.5°, Ø110/50MM	156.84

831.075.075	NELIK 87.5°, Ø75/75MM	98.70
831.075.075 S	NELIK 87.5°, Ø75/75MM	118.46
831.075.110	NELIK 87.5°, Ø110/75MM	130.66
 		
831.075.110 S	NELIK 87.5°, Ø110/75MM	156.84
831.110.110	NELIK 87.5° Ø110/110MM	130.66
831.110.110 S	NELIK 87.5° Ø110/110MM	156.84
831.110.160	NELIK 87.5° Ø160/110MM	306.79
831.110.160 S	NELIK 87.5° Ø160/110MM	367.95
831.160.160	NELIK 87.5° Ø160/160MM	306.79
831.160.160 S	NELIK 87.5° Ø160/160MM	367.95
832.050.050	NELIK 87.5°, Ø50/50MM	100.24
832.050.050 S	NELIK 87.5°, Ø50/50MM	120.00
832.050.075	NELIK 87.5°, Ø75/50MM	136.04
832.050.075 S	NELIK 87.5°, Ø75/50MM	163.16
832.050.110	NELIK 87.5°, Ø110/50MM	189.62
832.050.110 S	NELIK 87.5°, Ø110/50MM	227.33
832.075.075	NELIK 87.5°, Ø75/75MM	136.04
832.075.075 S	NELIK 87.5°, Ø75/75MM	163.16
832.075.110	NELIK 87.5°, Ø110/75MM	189.62
832.075.110 S	NELIK 87.5°, Ø110/75MM	227.33
832.110.110	NELIK 87.5° Ø110/110MM	189.62
832.110.110 S	NELIK 87.5° Ø110/110MM	227.33
832.110.160	NELIK 87.5° Ø160/110MM	445.57
832.110.160 S	NELIK 87.5° Ø160/110MM	534.66
832.160.160	NELIK 87.5° Ø160/160MM	445.57
832.160.160 S	NELIK 87.5° Ø160/160MM	534.66
836.050.050 S	NELIK 45°, Ø50/50MM	154.52
836.050.075 S	NELIK 45°, Ø75/50MM	154.52
836.050.110 S	NELIK 45°, Ø110/50MM	199.95
836.075.075 S	NELIK 45°, Ø75/75MM	233.72
836.075.110 S	NELIK 45°, Ø110/75MM	232.48
836.110.110 S	NELIK 45°, Ø110/110MM	313.90
836.110.160 S	NELIK 45°, Ø160/110MM	468.69
836.160.160 S	NELIK 45°, Ø160/160MM	468.69
837.050.050 S	NELIK 45°, Ø50/50MM	112.12
837.050.075 S	NELIK 45°, Ø75/50MM	148.69
837.050.110 S	NELIK 45°, Ø110/50MM	206.30
837.075.075 S	NELIK 45°, Ø75/75MM	153.26
837.075.110 S	NELIK 45°, Ø110/75MM	206.30
837.110.110 S	NELIK 45°, Ø110/110MM	206.30
837.110.160 S	NELIK 45°, Ø160/110MM	484.93

837.160.160 S	NELIK 45°, Ø160/160MM	484.93
<p>LAUGE KOLMIK</p>  		
839.050.050	LAUGE KOLMIK 87.5°, Ø50/50MM	72.30
839.050.050 S	LAUGE KOLMIK 87.5°, Ø50/50MM	87.04
839.050.075	LAUGE KOLMIK 87.5°, Ø75/50MM	80.22
839.050.075 S	LAUGE KOLMIK 87.5°, Ø75/50MM	96.15
839.050.110	LAUGE KOLMIK 87.5°, Ø110/50MM	112.12
839.050.110 S	LAUGE KOLMIK 87.5°, Ø110/50MM	134.75
839.075.075	LAUGE KOLMIK 87.5°, Ø75/75MM	105.06
839.075.075 S	LAUGE KOLMIK 87.5°, Ø75/75MM	126.08
839.075.110	LAUGE KOLMIK 87.5°, Ø110/75MM	112.12
839.075.110 S	LAUGE KOLMIK 87.5°, Ø110/75MM	134.75
839.110.110	LAUGE KOLMIK 87.5°, Ø110/110MM	133.18
839.110.110 S	LAUGE KOLMIK 87.5°, Ø110/110MM	159.87
839.110.160	LAUGE KOLMIK 87.5°, Ø160/110MM	263.12
839.110.160 S	LAUGE KOLMIK 87.5°, Ø160/110MM	315.64
839.160.160	LAUGE KOLMIK 87.5°, Ø160/160MM	263.12
839.160.160 S	LAUGE KOLMIK 87.5°, Ø160/160MM	315.64

<p>PUHASTUSELEMENT</p>  		
840.000.110 S	PUHASTUSELEMENT, Ø110MM	955.40
840.000.160 S	PUHASTUSELEMENT, Ø160MM	1,224.08
840.000.200 S	PUHASTUSELEMENT, Ø200MM	1,637.18
840.000.250 S	PUHASTUSELEMENT, Ø250MM	2,111.66
840.075.075	PUHASTUSELEMENT, Ø75MM	59.02
840.075.075 S	PUHASTUSELEMENT, Ø75MM	71.07
840.110.110	PUHASTUSELEMENT, Ø110MM	65.66
840.110.110 S	PUHASTUSELEMENT, Ø110MM	80.92
840.125.125 S	PUHASTUSELEMENT, Ø125MM	179.96
840.160.160	PUHASTUSELEMENT, Ø160MM	191.81
840.160.160 S	PUHASTUSELEMENT, Ø160MM	230.21
840.200.200 S	PUHASTUSELEMENT, Ø200MM	344.69

MUHV



BLÜCHER®

841.040.040	MUHV, Ø40MM	12.77
841.040.040 S	MUHV, Ø40MM	15.27
841.050.050	MUHV, Ø50MM	14.19
841.050.050 S	MUHV, Ø50MM	17.01
841.075.075	MUHV, Ø75MM	20.60
841.075.075 S	MUHV, Ø75MM	24.60
841.110.110	MUHV, Ø110MM	28.95
841.110.110 S	MUHV, Ø110MM	34.79
841.125.125	MUHV, Ø125MM	40.65
841.125.125 S	MUHV, Ø125MM	48.67
841.160.160	MUHV, Ø160MM	52.02
841.160.160 S	MUHV, Ø160MM	62.45
841.200.200 S	MUHV, Ø200MM	115.83
841.250.250 S	MUHV, Ø250MM	201.88
841.315.315 S	MUHV, Ø315MM	361.49

PARANDUSMUHV



BLÜCHER®

842.040.040 S	PARANDUSMUHV, Ø40MM	19.05
842.050.050 S	PARANDUSMUHV, Ø50MM	21.05
842.075.075 S	PARANDUSMUHV, Ø75MM	29.42
842.110.110 S	PARANDUSMUHV, Ø110MM	41.81
842.125.125 S	PARANDUSMUHV, Ø125MM	58.62
842.160.160 S	PARANDUSMUHV, Ø160MM	74.60
842.200.200 S	PARANDUSMUHV, Ø200MM	136.23
842.250.250 S	PARANDUSMUHV, Ø250MM	230.87
842.315.315 S	PARANDUSMUHV, Ø315MM	379.53

PIKENDATUD MUHV



BLÜCHER®

843.095.040 S	PIKENDATUD MUHV, Ø40MM	18.03
843.105.050	PIKENDATUD MUHV, Ø50MM	16.73
843.105.050 S	PIKENDATUD MUHV, Ø50MM	20.03
843.115.075	PIKENDATUD MUHV, Ø75MM	19.27
843.115.075 S	PIKENDATUD MUHV, Ø75MM	23.09
843.125.110	PIKENDATUD MUHV, Ø110MM	26.84
843.125.110 S	PIKENDATUD MUHV, Ø110MM	32.49
843.140.125	PIKENDATUD MUHV, Ø125MM	48.24
843.140.125 S	PIKENDATUD MUHV, Ø125MM	57.84
843.182.160	PIKENDATUD MUHV, Ø160MM	48.24
843.182.160 S	PIKENDATUD MUHV, Ø160MM	57.84

OTSAKORK



BLÜCHER®

844.000.040 S	OTSAKORK MUHVI SISSE, Ø40MM	13.93
844.000.050 S	OTSAKORK MUHVI SISSE, Ø50MM	15.49
844.000.075 S	OTSAKORK MUHVI SISSE, Ø75MM	16.73
844.000.110 S	OTSAKORK MUHVI SISSE, Ø110MM	20.60
844.000.125 S	OTSAKORK MUHVI SISSE, Ø125MM	34.79
844.000.160 S	OTSAKORK MUHVI SISSE, Ø160MM	37.09
844.000.200 S	OTSAKORK MUHVI SISSE, Ø200MM	55.81
844.100.050 S	OTSAKORK MUHVI SISSE, Ø50MM	26.38
844.100.075 S	OTSAKORK MUHVI SISSE Ø75MM	29.42
844.100.110 S	OTSAKORK MUHVI SISSE, Ø110MM	42.38
845.000.160 S	OTSAKORK MUHVI SISSE, Ø160MM	75.86
847.001.040	MUHVILUKK, Ø40MM	53.57

TORU ÜHENDUSKLAMBER



BLÜCHER®



847.040.040	TORU ÜHENDUSKLAMBER, Ø40MM	22.32
847.050.050	TORU ÜHENDUSKLAMBER, Ø50MM	18.78
847.075.075	TORU ÜHENDUSKLAMBER, Ø75MM	23.36
847.110.110	TORU ÜHENDUSKLAMBER, Ø110MM	26.38
847.125.125	TORU ÜHENDUSKLAMBER, Ø125MM	28.18
847.160.160	TORU ÜHENDUSKLAMBER, Ø160MM	28.18
847.200.200	TORU ÜHENDUSKLAMBER, Ø200MM	36.62
847.250.250	TORU ÜHENDUSKLAMBER, Ø250MM	52.84

ÜLEMINEK



BLÜCHER®

850.050.032 S	ÜLEMINEK, Ø50/32MM	52.94
850.050.040 S	ÜLEMINEK, Ø50/40MM	61.39
850.050.075	ÜLEMINEK, Ø50/75MM	25.10
850.050.075 CS	ÜLEMINEK, Ø50/75MM	36.06
850.050.075 S	ÜLEMINEK, Ø50/75MM	30.14
850.050.110	ÜLEMINEK, Ø50/110MM	35.26
850.050.110 CS	ÜLEMINEK, Ø50/110MM	44.21
850.050.110 S	ÜLEMINEK, Ø50/110MM	42.38
850.075.050 S	ÜLEMINEK, Ø75/50MM	37.81
850.075.110	ÜLEMINEK, Ø75/110MM	34.01
850.075.110 C	ÜLEMINEK, Ø75/110MM	27.63
850.075.110 S	ÜLEMINEK, Ø75/110MM	40.85
850.075.160	ÜLEMINEK, Ø75/160MM	98.21
850.082.110 S	ÜLEMINEK, Ø82/110MM	38.80
850.110.050 S	ÜLEMINEK, Ø110/ 50MM	44.89
850.110.075 S	ÜLEMINEK, Ø110/75MM	48.24
850.110.082 S	ÜLEMINEK, Ø110/82MM	57.56
850.110.125 CS	ÜLEMINEK, Ø110/125MM	32.32
850.110.125 S	ÜLEMINEK, Ø110/125MM	68.43
850.110.160	ÜLEMINEK, Ø110/160MM	71.07
850.110.160 CS	ÜLEMINEK, Ø110/160MM	54.81
850.110.160 S	ÜLEMINEK, Ø110/160MM	85.50
850.125.110 S	ÜLEMINEK, Ø125/ 110MM	69.81

850.125.160 CS	ÜLEMINEK, Ø125/160MM	44.39
<div style="display: flex; justify-content: space-between; align-items: center;"> <div style="width: 20%;"> <p>ÜLEMINEK</p> </div> <div style="width: 40%; text-align: center;">  </div> <div style="width: 30%; text-align: right;">  </div> </div>		
850.125.160 S	ÜLEMINEK, Ø125/160MM	93.78
850.160.110 S	ÜLEMINEK, Ø160/110MM	93.11
850.160.125 S	ÜLEMINEK, Ø160/125MM	84.27
850.160.200 CS	ÜLEMINEK, Ø160/200MM	72.90
850.160.200 S	ÜLEMINEK, Ø160/200MM	123.24
850.200.160 S	ÜLEMINEK, Ø200/160MM	117.25
850.200.250 CS	ÜLEMINEK, Ø200/250MM	121.93
850.200.250 S	ÜLEMINEK, Ø200/250MM	163.25
850.200.315 CS	ÜLEMINEK, Ø200/315MM	238.97
850.200.315 S	ÜLEMINEK, Ø200/315MM	304.63
850.250.200 S	ÜLEMINEK, Ø250/200MM	172.02
850.250.315 CS	ÜLEMINEK, Ø250/315MM	243.86
850.250.315 S	ÜLEMINEK, Ø250/315MM	326.52
850.315.250 S	ÜLEMINEK, Ø315/250MM	344.07
853.093.075 S	ÜLEMINEK MALMTORULE, Ø93/75MM	26.51
853.127.110 S	ÜLEMINEK MALMTORULE, Ø127/110MM	30.14